



MICHAEL J. BAKER, D.P.M.

JASON D. GRAY, D.P.M.

GREGORY W. BOAKE, D.P.M

JESSICA R TAULMAN, D.P.M

BFS BUSINESS OFFICE

P O BOX 330.
Fortville, IN 46040-0330
Tel 317.863.2556
Fax 317.203.0420

**COMMUNITY FOOT &
ANKLE CENTER**

1221 Medical Arts Blvd.
Anderson, IN 46011
Tel 765.641.0001
Fax 765.641.0003

**EAST FOOT &
ANKLE CENTER**

161B Washington Point Dr.
Indianapolis, IN 46229
Tel 317.898.6624
Fax 317.898.6636

**FOOT & ANKLE AT
WESTVIEW HOSPITAL**

3520 Guion Rd., Ste 102
Indianapolis, IN 46222
Tel 317.920.3240
Fax 317.920.3243

**MARION FOOT
CENTER**

330 N. Wabash Ave, Ste 460A
Marion, IN 46952
Tel 765.664.1413
Fax 765.965.6530

**BAKER FOOT
SOLUTIONS
SATILLITE FOOT
CLINICS**

BROWNSBURG

Tel 317.920.3240
Fax 317.920.3243

GEIST FAMILY PRACTICE

Tel 317.898.6624
Fax 317.898.6636

NEW CASTLE

Tel 765.664.1413
Fax 765.965.6530

SPEEDWAY

Tel 317.920.3240
Fax 317.920.3243

Instructions Following Corrective Nail Surgery

Removal of Painful Ingrown Nail, Infected Ingrown Nail (Paronychia)

Or

Permanent Removal of Painful Ingrown Nail and Root

1. Remove the bandage and packing the day after surgery.
2. Soak the affected foot in warm soapy water for 10 minutes, twice a day.
3. After soaking, place 2 drops of betadine, iodine or antibiotic ointment within the affected toe and cover with a band-aid.
4. At night, allow the toe to air dry.
5. Follow the above instructions every morning and every evening until your doctor informs you to discontinue the soaks and betadine, iodine or antibiotic ointment applications.
6. If you have any pain, take Tylenol, Ibuprofen or prescribed pain medication as directed. If pain continues, call your doctor.